

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	299	workflow and sequences! and query and analysis and distribution and process\$3 and execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:05
L2	297	1 and ((data near collection) or database or (data adj (warehouse or base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:42
L3	57	1 and (data near collection) and (database or (data adj base)) and (data adj warehouse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:44
L4	0	3 and ((user adj interface) or GUI) and ((dropdown or (drop adj down)) adj menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:45
L5	35	2 and ((user adj interface) or GUI) and ((dropdown or (drop adj down)) adj menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:46
L6	53	workflow and sequences! and query and analysis and distribution and process\$3 and execution and (decision adj mak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:01
L7	0	6 and executalbe adj workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:59
L8	0	6 and executable adj workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:59
L9	2	1 and executable adj workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:01

L10	44	executable adj workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:01
L11	14	10 and workflow adj manag\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:01
L12	0	11 and workflow and sequences! and query and analysis and distribution and process\$3 and execution and (decision adj mak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:02
L13	5526	11 and workflow execution and (decision adj mak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:04
L14	2	11 and workflow and execution and (decision adj mak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:05
L15	4	10 and (decision adj mak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:04
L16	547	workflow and execution and (decision adj mak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:10
L17	53	16 and workflow and sequences! and query and analysis and distribution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:06
L18	5	"167" and (cycle or process\$3) near2 (query and analysis and distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:06
L19	0	17 and (cycle or process\$3) near2 (query and analysis and distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:07

L20	0	(cycle) near2 (query and analysis and distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:06
L21	56	(cycle or process\$3) near2 (query and analysis and distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:08
L22	14	(query and analysis and distribution) adj (cycle or process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:19
L23	13	22 and (workflow or execution or (decision adj mak\$3) or (data near collection) or (data adj warehouse))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:15
L24	0	22 and (workflow or execution or (decision adj mak\$3)) and ((data near collection) or (data adj warehouse))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:11
L25	0	22 and (workflow and (decision adj mak\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:14
L26	0	22 and ( (decision adj mak\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:14
L27	20	(workflow same execut\$8 same (decision adj mak\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:15
L28	1	22 and result adj sets!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:20
L29	1648	result adj sets!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:20

L30	1	refin\$6 adj result adj sets!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:21
L31	826	refin\$6 adj result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:20
L32	7	31 and result adj sets!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:21

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	building adj2 xml adj application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:36
L2	477	xml adj application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:36
L3	0	2 and executable adj workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:51
L4	44	executable adj workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:46
L5	0	2 and (cycle or process\$3) near2 (query and analysis and distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:37
L6	0	2 and (query same analysis same distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:41
L7	40	2 and (query and analysis and distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:38
L8	12	4 and (query and analysis and distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:37
L9	0	2 and (query and analysis and distribution) same sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:38

L10	33	2 and (query and analysis and distribution) and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:38
L11	25	2 and (query and analysis and distribution) and sequences!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:41
L12	334	(query same analysis same distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:56
L13	153	12 and (query and analysis and distribution) and sequences!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:52
L14	1	13 and workflow and execut\$7 and (decision adj mak\$3) and ((data near collection) or (data adj (base or warehouse)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:54
L15	678	workflow and execut\$7 and (decision adj mak\$3) and ((data near collection) or (data adj (base or warehouse)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:44
L16	72	15 and (query and analysis and distribution) and ((set adj squeunce) or sequences!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:46
L17	0	16 and executable adj (sequence or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:47
L18	3	15 and executable adj (sequence or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:49
L19	0	15 and executable adj (sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:49

L20	0	executable adj (sequence and workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:53
L21	65	executable adj (sequences!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:50
L22	44	executable adj workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:51
L23	2	22 and (query and analysis and distribution) and sequences!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:53
L24	5	22 and (query and analysis and distribution) and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:52
L25	8815	(query and analysis and distribution) and sequences!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:53
L26	1068	25 and execution and executable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:53
L27	193	26 and (sequence and workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:57
L28	193	26 and (sequences! and workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:54
L29	33	28 and (decision adj mak\$3) and ((data near collection) or (data adj (base or warehouse))) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:56

L30	111	(query same analysis same distribution same sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:01
L31	3	30 and (decision adj mak\$3) and ((data near collection) or (data adj (base or warehouse or mining)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:57
L32	3	30 and (decision adj mak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:57
L33	111	30 and ((data near collection) or (data adj (base or warehouse or mining)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:59
L34	0	33 and (sequence and workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:58
L35	0	33 and executable adj (sequence or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:58
L36	0	33 and executable adj (sequence or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:58
L37	111	33 and (sequence or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:59
L38	111	33 and (sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:59
L39	0	30 and set adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:01